CUSTOM MILLING CENTER
A HENRY SCHEIN COMPANY

877.933.6455 | www.custom-milling.com
4680 Table Mountain Drive, Suite 100
Golden, CO 80403

Laboratory Name_____

Address _____

City_____State_____ZIP_____

Phone _____

E-mail _____

Patient Name_____Case # _____

Tooth Number(s)_____Single(s)_____Framework_____

NOTE: CMC offers free next-day delivery when ordering three or more units of zirconia product.

FULL-CONTOUR

- ☐ Katana™ UTML
- ☐ Katana™ STML
- ☐ Katana™ HTML
- ☐ Zirlux® 16+
- ☐ BruxZir® 16
- ☐ IPS e.max® CAD (HT)
- ☐ IPS e.max® CAD (LT)
- ☐ IPS Empress® CAD
- ☐ Lava™ Plus
- ☐ NP/Cr-Co
- ☐ Titanium
- ☐ Wax/Resin
- ☐ PMMA/Temp
- ☐ Zolid FX
- ☐ Zolid HT+

COPING/FRAMEWORK

- ☐ Pearl®
- ☐ Zirlux®
- ☐ Lava™ Plus
- ☐ NP/Cr-Co
- ☐ Titanium
- ☐ Noble
- ☐ Wax/Resin

INDICATE VITA CLASSICAL SHADE

☐ A1	☐ B1	☐ C2	☐ D4
☐ A2	☐ B2	☐ C3	☐ 0M1
☐ A3	☐ B3	☐ C4	☐ 0M2
☐ A3.5	☐ B4	☐ D2	☐ 0M3
☐ A4	☐ C1	☐ D3	

ADDITIONAL SERVICES

- ☐ Stain and Glaze
- ☐ Crystallization of IPS e.max®
- ☐ Model

INSTRUCTIONS

Unless indicated, all substructures will be milled to minimum thickness. (0.4 ant., 0.5 post.)

Do you require additional porcelain support for substructure?

☐ No ☐ Yes *(Please note in Special Instructions)*

	180°	360°
Collar	☐	☐

ENCLOSED WITH CASE

- ☐ Opposing Model
- ☐ No. of Dies_____
- ☐ Working Model
- ☐ Impression
- ☐ Study Models
- ☐ Adjustable Articulator
- ☐ Bite
- ☐ Soft Tissue

SPECIAL INSTRUCTION

DUE DATE_____/_____/_____ **PROMO CODE**_____

SIGNATURE_____**DATE** _____